

10/555069

JC06 Rec'd PCT/PTO 28 OCT 2005

**AMENDMENT**

(Under Article 11 of Japanese Law Concerning  
International Applications, etc. Pursuant to PCT)

To : Director General of the Patent Office

1. Identification of the International Application

PCT/JP2004/005983

2. Applicant

Name : SEKISUI CHEMICAL CO., LTD.

Address : 4-4, Nishitemma 2-chome,  
Kita-ku, Osaka-shi, Osaka  
530-8565 JAPAN

Country of nationality : Japan

Country of residence : Japan

3. Agent

Name : (8659) Patent Attorney MIYAZAKI Chikara

Address : Nishimura Bldg., 6-5,  
Tanimachi 1-chome, Chuo-ku, Osaka-city,  
Osaka 540-0012 JAPAN

4. Item to be Amended

Claims and Page 3 of Specification

5. Contents of the Amendment

(1) Claim 1 have been amended.

(2) Claims 2, 3 have been deleted.

(3) Lines 12 and 13 in Page 3 of Specification have been  
amended to conform with Claim 1.

**6. List of Attached Documents**

New pages of Specification: pages 3 and 3/1

(English Specification: Page 4)

New pages of claims: page 29

(English claims: Pages 43 - 45)

Hereinafter, the present invention is explained in detail.

The instrument for inducing a cytokine of the present invention comprises hemolytic streptococcus and/or a hemolytic  
streptococcus-origin component which induces a cytokine, a  
water-insoluble carrier having an effect for enhancing  
induction of a cytokine, and a container comprising hemolytic  
streptococcus and/or the hemolytic streptococcus-origin  
component and the water-insoluble carrier.

10       The carrier may be any water-insoluble carrier and is not specifically limited. Examples of the material which constitutes the carrier include inorganic materials, organic materials and metals, preferably inorganic materials and organic materials. Among the inorganic materials, carbon  
15       materials are preferred, and among the organic materials, polymer materials are preferred. Among these, active carbon is further preferred.

Examples of the inorganic materials include carbon materials such as active carbon, glass or glass derivatives,  
20       silica-based compositions, alumina, hydroxyapatite and the like. Among these, carbon materials are preferable, and among the carbon materials, active carbon is preferable.

25       The carbon material is a carbonized substance obtained by calcining an organic compound according to any conventionally known method. The active carbon is obtained by

**CLAIMS**

1. (Amended) An instrument for inducing a cytokine, which comprises hemolytic streptococcus and/or a hemolytic 5 streptococcus-origin component which induces a cytokine, a water-insoluble carrier having an effect for enhancing induction of a cytokine, and a container comprising the hemolytic streptococcus and/or the hemolytic streptococcus-origin component and the water-insoluble carrier.

10

2. (Deleted)

3. (Deleted)

15 4. The instrument for inducing a cytokine according to any one of claims 1 to 3, wherein the hemolytic streptococcus and/or the hemolytic streptococcus-origin component have been fixed on the water-insoluble carrier.

20 5. The instrument for inducing a cytokine according to any one of claims 1 to 4, wherein the water-insoluble carrier comprises a polymer material.

25 6. The instrument for inducing a cytokine according to claim 5, wherein the polymer material is a porous polymer

material.

7. The instrument for inducing a cytokine according to  
claim 5 or 6, wherein the polymer material comprises at least  
5 one kind selected from the group consisting of a  
polystyrene-based polymer material, a polyacrylic ester-based  
polymer material, a polypropylene-based polymer material and  
a polyvinyl chloride-based polymer material.

10 8. The instrument for inducing a cytokine according to  
any one of claims 1 to 4, wherein the water-insoluble carrier  
comprises a carbon material.

15 9. The instrument for inducing a cytokine according to  
claim 8, wherein the carbon material is an active carbon.

10. The instrument for inducing a cytokine according to  
claim 9, wherein the active carbon has a diameter of more than  
100  $\mu\text{m}$  and not more than 10000  $\mu\text{m}$ .

20

11. The instrument for inducing a cytokine according to  
claim 9 or 10, wherein the active carbon is an active carbon  
obtained from at least one kind of raw material selected from  
the group consisting of a petroleum pitch, a phenolic resin,  
25 a coal and a coconut husk.

12. The instrument for inducing a cytokine according to any one of claims 1 to 11, which is used for the induction of a cytokine production in a cell which can produce a cytokine.

5

13. The instrument for inducing a cytokine according to claim 12, wherein the cell which can produce a cytokine is a cell derived from blood or a blood constituent.

10 14. A method for inducing a cytokine, which comprises inducing a cytokine using the instrument for inducing a cytokine according to any one of claims 1 to 13.